


POE-260CAM


POE Pan-Tilt Night Vision IP Camera

The POE-260CAM is an advanced POE IP camera with Pan and Tilt function. You can set a particular patrol area; it will then move its lens in both horizontal and vertical direction continuously to scan the area. Or you can remote control the camera to look in the desirable direction.



POE Pan-Tilt Night Vision IP Camera

The POE-260CAM is a POE Pan-Tilt IP camera designed for 24hr indoor surveillance even in the harshest conditions. The POE-260CAM is equipped with high resolution CMOS sensor with infrared LEDs with up to 10m working distance. The auto-changeable IR filter inside also provides superior day/night performance. It also offers many important features such as digital input and output for external alarm & sensor.



Mechanical IR-cut filter makes your Quality goes higher level

The POE-260CAM supports simultaneous dual-streaming of MPEG-4 and Motion JPEG (MJPEG) to provide both high quality and bandwidth efficient compression formats. MJPEG delivers greater file integrity, making it ideal for detailed monitoring situations. MPEG-4 video has smaller file sizes, making it more useful for extended recording periods or for use in low bandwidth networks.

Video Quality

The POE-260CAM supports simultaneous dual-streaming of MPEG-4 and Motion JPEG (MJPEG) to provide both high quality and bandwidth efficient compression formats. MJPEG delivers greater file integrity, making it ideal for detailed monitoring situations. MPEG-4 video has smaller file sizes, making it more useful for extended recording periods or for use in low bandwidth networks.

Language Pack Feature

This camera also comes with upgradeable device language pack offering seven different languages for user-friendly operation. The language pack support 14 languages now and still updating. These languages include Chinese, German, Spanish, Russia, Cestina, Portuges, and more.



View from Mobile Phone

The RSTP protocol feature allows 3G and 2.5G mobile phones to display captured images from the camera for live video surveillance from a remote location. With automatic light adjustment that eliminates bit rate problems caused by poor night time performance, POE-260CAM is the perfect answer to remotely monitoring your house while out traveling.

- * The mobile device must be Internet-ready. Support Real Time Streaming Protocol (RTSP) and be equipped with a 3G video player such as PacketVideo™, Quicktime™, or RealPlayer™, and have Internet access.
- * A PoE Switch or router is required to provide power via the Ethernet connection.
- * Use of video equipment for recording the image of a person without their knowledge and consent is prohibited in certain states or jurisdictions. The end-user assumes all liability for compliance with applicable state, local, and federal laws.

Professional Surveillance Software Supported

The surveillance software CamPro Express 64 lets user to view and record multiple live images at the same time. Using several supported Camera with CamPro Express 64, user can easily build up a surveillance system at different environment. Moreover, POE-260CAM also supports CamPro Professional, which is AirLive's intelligent video surveillance recording software. It is designed to meet most demands for professional installations. With its video analysis functions, such as tempering detection, user can build up a stable and efficient surveillance system.



APPS for Android and iOS

AirLive has worked with IPCAM Viewer developer to add support for AirLive IPCAM. So you can view multiple AirLive cameras using Android device, iPhone, or iPad. For more information about Android or iOS apps, please visit the FAQ page.

Web Monitor

The CamPro Express 64 allows you to monitor 64 channels via the computer and WEB UI. You can also choose to view the different camera in single view or 1/4/9/16/32/64 view.



Hardware Specification

Image Sensor

- 1/4" Progressive scan CMOS sensor

Lens

- 4.0mm, F2.0

Zoom

- 10x Digital

Minimum Illumination

- 0 Lux with IR LED on

IR Filter

- Automatic removable IR-cut filter

IR LED

- 12 pcs (850nm)

IR Working Distance

- 10m (33 feet)

Video Compression

- Motion JPEG
- MPEG-4

Max Resolution

- 640 x 480 (VGA)

Frame Rate

- Motion JPEG: Up to 30 fps in all resolutions
- MPEG-4: Up to 30 fps in all resolutions

Video Streaming

- Simultaneous MPEG-4 and Motion JPEG
- Controllable frame rate and bandwidth
- Supports 3GPP/ISMA RTSP

- Supports Unicast & Multicast

Audio

- Two-way (full duplex)
- Built-in microphone
- 3.5mm jack for Mic/Line in
- 3.5mm jack for Line out

LAN

- 10/100mpbs Support standard 802.3af

Alarm and Event Management

- Built-in multi-window motion detection
- External input x 1 / output x 1 for alarm or sensor
- Triggered and scheduled events
- Pre- and post-alarm buffer
- Image upload over FTP, e-mail and HTTP
- Notification over TCP and e-mail

Security

- ID and password authentication
- HTTPS encryption (SSL V3.0)

Connectors

- RJ-45 for Ethernet 10BaseT/100BaseTX
- DC 12V power jack
- 3.5mm jack for Mic/Line in
- 3.5mm jack for Line out
- Terminal blocks for 1 alarm input, 1 output

Viewing Angle

- 48°27' (H)
- 37°17' (V)
- 58°42' (D)

Ordering Information:

AirLive POE-260CAM POE Pan-Tilt Night Vision IP Camera

Software Specification

- Supports 1-16 cameras
- Individual interface: administration, security control, and monitoring.
- User-defined background in icon control operating interface.
- Multiple-privilege management authorization
- Alarm notification: Live video (corporate with the preset position of PTZ camera), video recording.
- Video Recording: Schedule recording, alarm recording /Scheduled (using motion detection
- Pre-Alarm recording: starts to record the image before alarm occurs (configurable).
- Instant Inquiry on Alarm and Video Recording
- Alarm system On/Off and startup delay setting.
- Support Auto Searching device
- Support WEB monitor
- Support Multiple Playback

Reference Applications of CamProExpress

- **Schools, colleges and universities**
- **Small retail to chain stores**
- **Offices**
- **Factories and Production Plants**
- **Building Sites and Projects**
- **Residential**
- **Etc. etc.**