

- 5 port Gigabit RJ45 with 1 SFP
- 4 port 802.3at/af PoE
- Up to 30W for each PoE Port
- Power budget up to 65W

4 Port PoE Gigabit RJ45 with 1 RJ45 1 SFP Switch POE-GSH604ATU



The POE-GSH604ATU is a 6-Port gigabit unmanage PoE switch including 4 RJ45 PoE Port , 1 RJ45 uplink port and 1 SFP uplink ports. Each PoE Port can provide up to 30W output. It was designed for easy installation for PoE application.



Build in SFP for long distance transmission

POE-GSH604ATU builds in the 1 SFP port which is ideally for application which need longer connection. For some application, connection between two switches may over 100m. In this case, Fiber connection is necessary. POE-GSH604ATU's SFP can work with the SX or LX SFP module .Thus, the connection distance between two switches can up to few Kms.

School Gate




POE-GSH604ATU



Gigabit Fiber

Server Room



Specifications

AirLive POE-GSH604ATU

Standard <ul style="list-style-type: none">•IEEE 802.3 10-BASE-T•IEEE 802.3u 100-BASE-TX•IEEE 802.3ab 1000BASE-T•IEEE 802.3at/af	Power Input <ul style="list-style-type: none">•DC 48-52V
Port <ul style="list-style-type: none">•5 ports Gigabit Auto-MDIX•4 ports PoE/PoE+•1 port SFP	PoE Power Output <ul style="list-style-type: none">•Max. 30 watts
	Power Consumption <ul style="list-style-type: none">•65 Watts
	Operating Temperature <ul style="list-style-type: none">•0° ~ 40°C
PoE Port <ul style="list-style-type: none">•4	Humidity <ul style="list-style-type: none">•10%~90% (non-condensing)
MAC Address <ul style="list-style-type: none">•1024	Dimensions <ul style="list-style-type: none">•141x95x30 mm
Jumbo Frames <ul style="list-style-type: none">•9 K	Weight <ul style="list-style-type: none">•480 g
Packet Buffer <ul style="list-style-type: none">•96 Kb	Certificates <ul style="list-style-type: none">•CE Class A•FCC

Ordering Information:

POE-GSH604ATU 4 Port PoE Gigabit RJ45 with 1 RJ45 1 SFP Switch