



WP-203G

Turbo-G Wireless 3-Port Print Server

The new AirLive Advanced Print Server series is the culmination of OvisLink Corp.'s years of experience with print server technology. It has integrated all the conceivable advance technologies and ideas from our end user's wish list. If you think this is just another ordinary print server, please read on to see the revolution it has brought to printer sharing.




Turbo-G Family

The AirLive Turbo-G family provides 125Mbps wireless speed at the same cost as the Wireless-G devices. Unlike the Super-G mode that uses channel-binding technology, Turbo-G solution can deliver up to 1.5 times the speed of Wireless-G solution using one single channel. This means higher and more stable performance. Best of all, it is compatible with 802.11g and 802.11b solutions.

	MIMO	Turbo G	Super G	802.11G+
MIMO	MIMO	Turbo G	802.11g	802.11g
Turbo G	Turbo G	Turbo G	802.11g	802.11g
Super G	802.11g	802.11g	SuperG	802.11g
802.11G+	802.11g	802.11g	802.11g	802.11G+

*The intersection value indicates the resulting operation mode.



3-Port Turbo-G + USB 2.0 + Parallel port

AirLive WP-203G is a 125Mbps wireless printer server equipped with 2 USB 2.0/1.1 ports and a high speed bi-directional parallel ports. This combination means you can print out faster and more reliable than before. The 802.11g compliant print server can work in either AdHoc or Infrastructure mode with 64/128-bit WEP encryption. Furthermore, multi-protocol support that includes TCP/IP, NetBEUI, IPX/SPX, Rendezvous, AppleTalk and IPv6 network protocols ensure compatibility with most Windows, Unix, NewWare(3.x above) and MAC platforms. Best of all, it is equipped with 18dBm wireless output power to ensure quality reception.

Simple Installation Wizard

Traditionally, installing a print server is a somewhat complicated process. But AirLive has made the installation of WP-203G extremely simple. The CD's installation wizard guide you through the installation of your print server and printer drivers. Then, if you prefer to configure it without the wizard, the UPnP function makes the print server immediately visible on your computer's "My Network Neighbor". So you can point and click on it without the need to know the IP address settings. For Macintosh users, the print server even support the MAC OS Configuration for simple installation.

Internet Printing

IPP (Internet Printing Protocol) Printing provides a convenient way of remote printing service by TCP/IP. The print server can support IPP printing by default. It is needless to do any setting. Any PC that can support IPP printing, for example Windows 2000/XP, can directly uses the print server by IP. By using the IPP printing, you can share the printer to all the PC's that can access the print server by IP. You can even share your printer to Internet users.

Flexible Management

The print server offer several flexible ways for configuration. You can point-and-click using UPnP. But you can also use Web management and Telnet to configure the device. For network administrators, the SNMP support allow configuration and monitoring using SNMP management software.

Supports DHCP Server/Client

The printer server can act as a DHCP server, allowing your LAN clients to automatically obtain an IP address or it can act as a DHCP client allowing a easy integration to your existing network.

Are you still using dedicated PC for printer sharing? Or Are you intimidated by the complexity of print server setup? Buy AirLive's advance print servers and experience a whole new way to share your printers.

*For assuring that AirLive printer server (or MFP server) can be compatible with your printer (or multi-function printer), please check the printer list on the right hand of webpage in advance.

Specifications

Wireless

- 125Mbps Turbo-G Wireless Technologies
- Compliant with IEEE 802.11g and 802.11b Wi-Fi spec.
- 64-bit and 128-bit WEP / WPA-PSK (TKIP and AES) encryptions
- Adhoc or Infrastructure mode.

Wired

- Compliant with IEEE 802.3 and 802.3u
- 10/100Mbps speed

Management

- Quick Install Wizard
- Web-browser
- UPnP (Universal Plug-N-Play)
- Mac OS Rendezvous Configuration
- SNMP management

Ports

- 2 x USB 2.0/1.1 ports
- 1 x IEEE 1284 compliant printer ports
- 1 x RJ-45 port

Support Frame Types

- IEEE 802.11b Wi-Fi
- IEEE 802.11g 54Mbps standard

Supported Network Protocols

- TCP/IP, NetBEUI, IPX/SPX, Rendezvous(Bonjour) and AppleTalk
- LPR, IPP, Raw Printing
- BOOTP, Telnet
- SMB, UPnP
- DHCP Server
- IPv6

O.S. Support

- Windows 95/98/ME/NT/2000/XP
- NetWare (3.X above)
- Linux
- Mac OS
- HP-UX Unix, Sun O.S, Solaris, SCO Unix, AIX, Unixware

LED

- Power, LAN, WLAN, USB1, USB2, LTP

Dimension

- 30(H)*187(W)*100(D) mm

Power

- 12V DC, 1A

Safety/EMI

- meet FCC, CE standard

Product Weight (g)

- 210 g

Product Size (L x W x H (mm))

- 30 x 187 x 100 mm

Ordering Information:

AirLive WP-203G Turbo-G Wireless 3-Port Print Server